


IMPROVED AR15 W/ OPTIC 25M ZERO TARGET

FOR A 50 / 200M ZERO – 70 GRAIN TSX @ 2750 fps

CALIBRATED FOR 1/2 MOA CLICK ADJUSTMENTS




1. AIM CENTER MASS OF SILHOUETTE TARGET USING REFERENCE CROSSHAIRS FOR ASSISTANCE. ADJUST SIGHTS TO BRING BULLET IMPACT AS CLOSE AS POSSIBLE TO CENTER OF CIRCLE.
2. YOU ARE NOW ZEROED FOR 50 / 200 METERS.

IMPROVED AR15 W/ OPTIC 25M ZERO TARGET

FOR A 50 / 200M ZERO – 70 GRAIN TSX @ 2750 fps

CALIBRATED FOR ½ MOA CLICK ADJUSTMENTS




1. AIM CENTER MASS OF SILHOUETTE TARGET USING REFERENCE CROSSHAIRS FOR ASSISTANCE. ADJUST SIGHTS TO BRING BULLET IMPACT AS CLOSE AS POSSIBLE TO CENTER OF CIRCLE.
2. YOU ARE NOW ZEROED FOR 50 / 200 METERS.

IMPROVED AR15 W/ OPTIC 25M ZERO TARGET

FOR A 50 / 200M ZERO – 70 GRAIN TSX @ 2750 fps

CALIBRATED FOR 1/2 MOA CLICK ADJUSTMENTS




1. AIM CENTER MASS OF SILHOUETTE TARGET USING REFERENCE CROSSHAIRS FOR ASSISTANCE. ADJUST SIGHTS TO BRING BULLET IMPACT AS CLOSE AS POSSIBLE TO CENTER OF CIRCLE.
2. YOU ARE NOW ZEROED FOR 50 / 200 METERS.

IMPROVED AR15 W/ OPTIC 25M ZERO TARGET

FOR A 50 / 200M ZERO – 70 GRAIN TSX @ 2750 fps

CALIBRATED FOR 1/2 MOA CLICK ADJUSTMENTS




1. AIM CENTER MASS OF SILHOUETTE TARGET USING REFERENCE CROSSHAIRS FOR ASSISTANCE. ADJUST SIGHTS TO BRING BULLET IMPACT AS CLOSE AS POSSIBLE TO CENTER OF CIRCLE.
2. YOU ARE NOW ZEROED FOR 50 / 200 METERS.

IMPROVED AR15 W/ OPTIC 25M ZERO TARGET

FOR A 50 / 200M ZERO – 70 GRAIN TSX @ 2750 fps

CALIBRATED FOR ½ MOA CLICK ADJUSTMENTS



1. AIM CENTER MASS OF SILHOUETTE TARGET USING REFERENCE CROSSHAIRS FOR ASSISTANCE. ADJUST SIGHTS TO BRING BULLET IMPACT AS CLOSE AS POSSIBLE TO CENTER OF CIRCLE.
2. YOU ARE NOW ZEROED FOR 50 / 200 METERS.